



NOT ORDINARY SLITTERS

Your slitter project,
our customized solution

 **ttemsa**

**CASON COMPANIES**
— 1956 —

Innova Biback FL dual shaft

Material width 1000-2100 mm
 Mother roll Ø up to 1200 mm
 Finished roll width (min) > 20 mm
 Maximum speed 600 m/min
 Slit rolls Ø up to 600-800 mm

**Micro footboard integration ready for:
 hot needle, punching unit, inspection system
 and web cleaner.**

Applications: neutral film, paper, labels, narrow rolls,
 aluminium, metallized film and non woven.




Innova Matic double turret

Material width 1000-2100 mm
 Mother roll Ø up to 1200 mm
 Finished roll width (min) > 20 mm

Maximum speed 700 m/min

Slit rolls Ø up to 600-800 mm

Applications: neutral film, paper, labels, narrow rolls,
 aluminium, metallized film and non woven.



Innova Back to Back dual shaft

Material width 1100-3000 mm
 Mother roll Ø up to 1500 mm
Finished roll width (min) > 150 mm
 Maximum speed 1000 m/min
 Slit rolls Ø up to 1200 mm

Integrable with automatic unloading

Applications: neutral film, paper, metallized film
 and non woven.



Innova Cap independent stations

Material width up to 4000 mm

Mother roll Ø up to 1500 mm

Finished roll width (min) > 400 mm

Maximum speed 1000 m/min

Slit rolls Ø up to 1200 mm

Applications neutral film, paper, metallized film
 and non woven.



Innova Front dual shaft

Material width 1000-1700 mm
Mother roll Ø up to 900 mm
Finished roll width (min) > 20 mm
Maximum speed 600 m/min
Slit rolls Ø up to 500 mm

Applications: neutral film, paper, labels, narrow rolls, aluminium, metallized film and non woven.



Center Duplex center driven

Material width 1000-2100 mm
Mother roll Ø up to 1200 mm
Finished roll width (min) > 10 mm
Maximum speed 700 m/min
Slit rolls Ø up to 600-800 mm

Applications: neutral film, paper, labels, narrow rolls, aluminium, metallized film and non woven.



Duplex Diameter dual functionality

Slitter + Rewinder

Material width 1100-1700 mm
Mother roll Ø up to 1500 mm
Finished roll width (min) > 20 mm
Maximum speed 800 m/min

Slit rolls Ø (DUPLEX) up to 800 mm

Slit rolls Ø (SIMPLEX) up to 1000 mm

Applications: neutral film, paper, labels, narrow rolls, aluminium, metallized film and non woven.




Innova Maxima dual shaft

Material width 1100-1700 mm
Mother roll Ø up to 1500 mm
Finished roll width (min) > 20 mm
Maximum speed 800 m/min

Slit rolls Ø up to 1200 mm

Applications: neutral film, paper, labels, narrow rolls, aluminium, metallized film and non woven.





dal 1956 **cason**
-- SLITTERS

ttmsa

Santa Cruz Acayucan #165 Int 001 Col. Santa Apolonia, Alc. Azcapotzalco.
C.P. 02790 CDMX, Tel: 55 5352 0191, 55 5352 1301, Email: ventas@ttmsa.com
Página web www.ttmsa.com